

Environmental Specifications

ENV07

All Mini-Circuits products are manufactured under exacting quality assurance and control standards, and are capable of meeting published specifications after being subjected to any or all of the following physical and environmental test.

Test/Inspection Condition	Reference/Spec
-55° to 100°C Ambient Environment	Individual Model Data Sheet
-55° to 100° C Ambient Environment	Individual Model Data Sheet
90 to 95% RH, 240 hours, 50°C	MIL-STD-202, Method 103, Condition A, Except 50°C and end-point electrical test done within 12 hours
-55° to 100°C, 100 cycles	MIL-STD-202, Method 107, Condition A-3, except +100°C
Sn-Pb Eutetic Process: 225°C peak Pb-Free Process 245° - 250°C peak	J-STD-020, Table 4-1, 4-2 and 5-2, Figure 5-1
10X Magnification	J-STD-002, Para 4.2.5, Test S, 95% Coverage
20g peak, 10-2000 Hz, 12 times in each of three perpendicular directions (total 36)	MIL-STD-202, Method 204, Condition D
50g, 11 ms, 1/2-sine, 18 shocks: 3 each direction, each of 3 axes	MIL-STD-202, Method 213, Condition A
Isopropyl alcohol + mineral spirits at 25°C; terpene defluxer at 25°C; distilled water + proylene glycol monomethyl ether + monoethanolamine at 63°C to 70°C	MIL-STD-202, Method 215
	-55° to 100°C Ambient Environment -55° to 100° C Ambient Environment 90 to 95% RH, 240 hours, 50°C -55° to 100°C, 100 cycles Sn-Pb Eutetic Process: 225°C peak Pb-Free Process 245° - 250°C peak 10X Magnification 20g peak, 10-2000 Hz, 12 times in each of three perpendicular directions (total 36) 50g, 11 ms, 1/2-sine, 18 shocks: 3 each direction, each of 3 axes Isopropyl alcohol + mineral spirits at 25°C; terpene defluxer at 25°C; distilled water + proylene glycol monomethyl ether +

ENV07 Rev: A

02/25/11

M130240 File: ENV07.pdf

This document and its contents are the property of Mini-Circuits.