
## THIRD ANGLE PROJECTION

		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M123346	NEW RELEASE	07/10/09	AV	DY

## SUGGESTED MOUNTING CONFIGURATION FOR TT1423 CASE STYLE "06FL04" PIN CONNECTION



## **NOTES:**

- 1. COPLANAR WAVEGUIDE PARAMETERS ARE SHOWN FOR ROGERS RO4350B WITH THICKNESS .030"  $\pm$  .002"; COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH AND GAP MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED	INITIALS		DATE	Mini-Circuits 13 Neptune Ave							
DIMENSIONS ARE IN INCHES	DRAWN	AV	06/22/09		$\sqcup$ Mını	l <b>–</b> C j	rcu	its :	3 Neptu	ne Ave	nue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	IL	07/10/09	Brooklyn N1 11233					<b>~</b> ວວ		
3 PL DECIMALS ± .005 ANGLES ±	APPROVED	DY	07/10/09								
FRACTIONS ±				PL.	06FL04	TT1	423.	SYBP.	. ТВ	3-5	17 +
Mini−Circuits ®						, – – –	,		, ––		
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE				SIZE			_			I	
AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY					CODE IDENT	DRAWING N				REV:	
DESIGN, USE , MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.  ASHEETA1.DWG REV:A DATE:01/12/95				A	15542	98-PL-308				'	OR
				FILE: C	NODI OOO	SCALE:	0.1	SHEET:	4	ΔD	1
				FILE: 98PL308		SCALE: 8:1		1		OF I	