


Case Style

HT

HT2627

Outline Dimensions



| CASE # | A | B | C | D | E | F | G | H | J | K |
|--------|-----------------|----------------|----------------|----------------|-----------------|---------------|-----------------|---------------|---------------|---------------|
| HT2627 | 2.25 (57.15) | .70 (17.76) | .50 (12.70) | .63 (16.00) | 1.00 (25.40) | .10 (2.54) | #4-40 UNC-2B | .10 (2.54) | .25 (6.35) | .25 (6.35) |

| CASE # | L | M | N | R | WT. GRAM |
|--------|----------------|----------------|---------------|---------------|----------|
| HT2627 | .79 (20.07) | .68 (17.27) | .10 (2.54) | .30 (7.62) | 80.0 |

Dimensions are in inches (mm). Tolerances: 2Pl. $\pm .03$; 3Pl. $\pm .015$

Notes:

1. Case material: Aluminum alloy.
2. Case finish: Painting. Color: Blue.
3. Refer to the individual model data sheet for the type of connectors available.

Mini-Circuits®
ISO 9001 ISO 14001 CERTIFIED

ALL NEW
minicircuits.com

P.O. Box 350166, Brooklyn, New York 11235-0003 (718) 934-4500 Fax (718) 332-4661 For detailed performance specs & shopping online see Mini-Circuits web site



The Design Engineers Search Engine Provides ACTUAL Data Instantly From MINI-CIRCUITS At: www.minicircuits.com

RF/IF MICROWAVE COMPONENTS