

Low Pass Filter

LFCN-95+

Typical Performance Data

FREQUENCY (MHz)	INSERTION LOSS (dB)	VSWR (:1)
10.0	0.30	1.06
20.0	0.36	1.07
30.0	0.42	1.08
40.0	0.47	1.09
50.0	0.53	1.09
60.0	0.58	1.09
70.0	0.65	1.09
80.0	0.72	1.08
90.0	0.79	1.08
95.0	0.83	1.07
100.0	0.88	1.07
120.0	1.11	1.11
140.0	1.48	1.26
150.0	1.78	1.40
160.0	2.24	1.63
165.0	2.56	1.79
170.0	2.95	2.00
180.0	4.08	2.58
190.0	5.84	3.51
200.0	8.49	4.92
220.0	17.29	8.75
240.0	30.37	11.55
250.0	36.66	12.43
255.0	38.46	12.80
300.0	35.46	15.77
400.0	51.79	22.42
500.0	45.51	30.48
600.0	46.98	39.72
700.0	53.60	50.04
800.0	61.99	58.95
900.0	55.63	66.98
1000.0	51.60	72.20
1100.0	48.44	75.96
1200.0	45.84	76.17
1300.0	43.46	76.43
1400.0	41.49	74.54
1500.0	40.06	70.08
1600.0	39.94	51.50
1700.0	36.03	64.26
1800.0	34.95	66.91
1900.0	34.15	66.02
2000.0	33.54	63.18
2500.0	27.39	48.12
3000.0	26.23	53.14
3500.0	24.31	33.47
4500.0	20.96	24.63
5000.0	19.57	21.89



P.O. Box 350166, Brooklyn, New York 11235-0003 • Fax (718) 934-4500 • Fax (718) 332-4661 For detailed performance specs & shopping online see Mini-Circuits web site
The Design Engineers Search Engine Provides ACTUAL Data Instantly From MINI-CIRCUITS At: www.minicircuits.com



IF/RF MICROWAVE COMPONENTS

REV. OR
LFCN-95+
12/13/2013
Page 1 of 1