


Test Conditions: @ Temperature = 0°C, Pin = 8 dBm.




Isolation @ Active states




Isolation @ Disconnected states




Test Conditions: @ Temperature = 0°C, Pin = 8 dBm.




Return Loss, Terminated ports




Test Conditions: @ Temperature = +25°C, Pin = 8 dBm.




Isolation @ Active states




Isolation @ Disconnected states




Test Conditions: @ Temperature = +25°C, Pin = 8 dBm.







Test Conditions: @ Temperature = +50°C, Pin = 8 dBm.



Isolation @ Active states








- A. Performance and quality attributes and conditions not expressly stated in this specification document are intended to be excluded and do not form a part of this specification document.


 B. Electrical specifications and performance data contained in this specification document are based on Mini-Circuit's applicable established test performance criteria and measurement instructions.

 C. The parts covered by this specification document are subject to Mini-Circuits standard limited warranty and terms and conditions (collectively, "Standard Terms"); Purchasers of this part are entitled to the rights and benefits contained therein. For a full statement of the Standard Terms and the exclusive rights and remedies thereunder, please visit Mini-Circuits' website at https://www.minicircuits.com/rems/viewtern.html Mini-Circuits

Test Conditions: @ Temperature = +50°C, Pin = 8 dBm.







A. Performance and quality attributes and conditions not expressly stated in this specification document are intended to be excluded and do not form a part of this specification document.

B. Electrical specifications and performance data contained in this specification document are based on Mini-Circuit's applicable established test performance criteria and measurement instructions.

C. The parts covered by this specification document are subject to Mini-Circuits standard limited warranty and terms and conditions (collectively, "Standard Terms"); Purchasers of this part are entitled to the rights and benefits contained therein. For a full statement of the Standard Terms and the exclusive rights and remedies thereunder, please visit Mini-Circuits' website at https://www.minicircuits.com/rems/viewtern.html Mini-Circuits