
THIRD ANGLE PROJECTION

REVISIONS										
REV	ECN No.		DATE		AUTH					
OR	M84705	NEW RELEASE	01/02/03	MMG	ABD					
A	M91639	REMOVED NOTE 2, UPDATED DIMENSIONS	04/14/04	AV	DJ					
В	M102713	UPDATED DWG. ACCORDING AS B14-TB-241	01/25/06	MMG	ABD					
		& ADDED "WITH SMOBC"								

SUGGESTED MOUNTING CONFIGURATION FOR DZ944 CASE STYLE, "ny" PIN CONNECTION.



NOTES: 1. TRACE WIDTH AND GAP ARE SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS 0.020" ± 0.0015".

COPPER: 1/2 OZ. EACH SIDE.

FOR OTHER MATERIALS TRACE WIDTH AND GAP MAY NEED TO BE MODIFIED.

2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.

DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)

DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED	INITIALS		DATE			. ~		• 4 R			
DIMENSIONS ARE IN INCHES	DRAWN	MMG	12/30/02		\sqcup Min:	1 - C	irc	uits	13 Neptu	ne Aveni	ue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	AV	01/02/03		Mini-Circuits® 13 Neptune Brooklyn N					NI 11235	
3 PL DECIMALS ± .005	APPROVED	ABD	01/02/03								
FRACTIONS ±] PI	L. nv.	DZ9	TB-	TB - 241			
Mini-Circuits ® This document and its contents are the property of mini-circuits. Except for use expressly granted, in writing, to its vendors, vendee and the united states government, mini-circuits reserves all proprietary					, , ,		,	,			
					CODE IDENT	DRAWING		REV:			
DESIGN, USE , MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				A	15542	98-PL-125					}
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS. ASHEETA1.DWG REV:A DATE:01/12/95					FILE: 98PL125		SCALE: C. 1		1	ΛE	1
							SCALE: 6:1 SHEET:			1 70 1	