


REVISIONS												
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH							
OR	M125920	NEW RELEASE (FROM RAVON)	04/10	DK	HH							
OR	R78543	NEW RELEASE (FROM RAVON)	04/10	DK	HH							

SUGGESTED MOUNTING CONFIGURATION FOR KJ1373 CASE STYLES, 12SY02 PIN CONNECTION, 50 Ω .



NOTE:

- 1. TRACE WIDTH IS SHOWN FOR FR4 WITH DIELECTRIC THICKNESS. .030"±.002". COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED		INITIALS	DATE							
DIMENSIONS ARE IN INCHES	DRAWN	DK (RAVON)	07 APR 10	Mini-Circuits® 13 Neptune Avenue Brooklyn NY 11235						ne Avenue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	DH (RAVON)	08 APR 10		Frooklyn NY 11235					
3 PL DECIMALS ± .005	APPROVED	HH (RAVON)	08 APR 10	DI KI1979 19CVO9 CCND						
FRACTIONS ±				PL, KJ1373, 12SY02, SSND,						
☐ Mini−Circuits ®				TB-571+ (50 Ω)						
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				SIZE A	code ident 15542	DRAWING NO: 98-PL-325			REV:	
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS. ASHEETA1.DWG REV:A DATE:01/12/95					98PL325	SCALE:	4:1	SHEET:	1	OF 1