
THIRD ANGLE PROJECTION

		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M148938	NEW RELEASE	11/17/14	ITG	MM

SUGGESTED MOUNTING CONFIGURATION FOR FG873 CASE STYLE, "04AM05" PIN CODE



NOTES:

- 1. TRACE WIDTH PARAMETERS ARE SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .010"±.001". COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.

DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER).

DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK.

UNLESS OTHERWISE SPECIFIED	INITIALS		DATE								
DIMENSIONS ARE IN INCHES	DRAWN	ITG	11/07/14	Mini-Circuits 13 Neptune Avenue Brooklyn NY 11235							
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	11/10/14	TTTT Brooklyn NY 11235						ຂວນ	
3 PL DECIMALS ± .005	APPROVED	MM	11/17/14								
FRACTIONS ±				PL, 04AM05, FG873, TB-819+							
Mini-Circuits ® THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY											
					CODE IDENT	DRAWING				REV:	
DESIGN, USE , MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS. ASHEETA1.DWG REV:A DATE:01/12/95				A	15542	98-PL-443					OR
				FILE: 4	0001449	SCALE:	1.6.1	SHEET:	1	OE	1
				FILE: 98PL443			16:1		1	UF	1