

REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M161974	NEW RELEASE	06/29/17	CA	IL

IN 2

OUT 2

.028 TYP

PACKAGE OUTLINE

PIN 1

45°

.022 LINE WIDTH, 4 PL.
(SEE NOTE 1 BELOW)

IN 1

OUT 1

1. TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .010" \pm .001"; COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)

DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED

INITIALS

DATE _____

DIMENSIONS ARE IN INCHES

DRAWN

CA

06/26/17

TOLERANCES ON:

01501458

CE

08 / 20 / 17

2 PL DECIMALS \pm

CHECKED


00/23/11
00/23/11

3 PL DECIMAL
ANGLES \pm
FRACTIONS \pm

APPROVED

IL

06/29/17



THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE , MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.



Mini-Circuits® 13 Neptune Avenue
Brooklyn NY 11235

PL, 06FL11, GE0805C-1, TB-939+

SIZE
A

CODE IDENT
15542

DRAWING NO:

98-PL-516

REV:	
------	--

OR

FILE:	98PL516
-------	---------

SCALE: 16:1

SHEET:	1 OF 1
--------	--------