

THIRD ANGLE PROJECTION



		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	M169871	NEW RELEASE	09/06/18	ITG	RS

SUGGESTED MOUNTING CONFIGURATION FOR MC2601 CASE STYLE, "06SP14" PIN CODE



NOTES:

- 1. TRACE WIDTH AND GAP ARE SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .010±.001. COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH AND GAP MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.

DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER).



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK.

UNLESS OTHERWISE SPECIFIED		INITIALS	DATE
DIMENSIONS ARE IN INCHES	DRAWN	ITG	09/06/18
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	09/06/18
3 PL DECIMALS ± .005	APPROVED	RS	09/06/18
FRACTIONS ±			

..... Mini-Circuits ®

THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.

ASHEETA1.DWG	REV:A	DATE:01/12/95

mini-Circuits	1: B:
---------------	----------

13 Neptune Avenue Brooklyn NY 11235

PL, 06SP14, MC2601, TB-1059+

SIZE A	code ident 15542	DRAWING NO:	98-	-PL-609	REV: OR
FILE: O	8PL609	SCALE: 1	5:1	SHEET: 1	OF 1