
## THIRD ANGLE PROJECTION


		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	ECO-002173	NEW RELEASE	03/19/20	SL	

## SUGGESTED MOUNTING CONFIGURATION FOR FV1206-1 CASE STYLE



## NOTES:

- 1. TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .020"±.0015". COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



UNLESS OTHERWISE SPECIFIE	INITIALS		DATE						
DIMENSIONS ARE IN INCHES	DRAWN	ITG	03/18/20	Mini-Circuits® 13 Neptune Avenue Brooklyn NY 11235				Neptune Avenue	
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	03/18/20	Brooklyn NI 11235					
3 PL DECIMALS ± .005 ANGLES ±	APPROVED	SL	03/19/20	PL, FV1206-1, TB-1127+					
FRACTIONS ±									
Mini-Circuits ®  This document and its contents are the property of mini-circuits.  Except for use expressly granted, in writing, to its vendors, vendee and the united states government, mini-circuits reserves all proprietary					,,,,,,,,				
					CODE IDENT	DRAWING NO:		REV:	
DESIGN, USE , MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				A	15542	98	-PL-669	9   OR	
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.					ODICCO	SCALE: 1 0.1	SHEET:	1 OF 1	
ASHEETA1.DWG REV:A DATE:01/12/95				FILE: 98PL669		SCALE: 10:1	0112211	I OF I	