
## THIRD ANGLE PROJECTION

		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	ECO-006066	NEW RELEASE	02/03/21	ITG	WY

## SUGGESTED MOUNTING CONFIGURATION FV1206-11 CASE STYLE



## NOTES:

- 1. TRACE WIDTH & GAP PARAMETERS ARE SHOWN FOR MEGTRON-7 R5785(N); DIELECTRIC THICKNESS: .0079±.001; COPPER: HVLP/HVLP, 1/2 Oz EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH & GAP MAY NEED TO BE MODIFIED.
- 2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.

DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER).



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK.

UNLESS OTHERWISE SPECIFIED	INITIALS		DATE								
DIMENSIONS ARE IN INCHES	DRAWN	ITG	02/03/21		Mini-Circuits® 13 Neptune Avenu						nue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	02/03/21	Brooklyn NY 1123							
3 PL DECIMALS ± .005 ANGLES ±	APPROVED	WY	02/03/21								
FRACTIONS ±				PL, FV1206-11, TB-LFCN-2352C+					+		
☐ Mini−Circuits ®					, _ · _ · _ · .		, – –				
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.  ASHEETA1.DWG REV:A DATE:01/12/95					code ident 15542	DRAWING NO: 98-PL-702				OR	
					98PL702	SCALE:	8:1	SHEET:	1	OF	1