
## THIRD ANGLE PROJECTION


		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE	DR	AUTH
OR	ECO-009086	NEW RELEASE	08/06/21	NP	DF

## SUGGESTED MOUNTING CONFIGURATION FOR GU1414-4 CASE STYLE



## NOTES:

- 1. COPLANAR WAVEGUIDE PARAMETERS ARE SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .020±.0015; COPPER: ½ OZ. EACH SIDE. FOR OTHER MATERIALS, TRACE WIDTH AND GAP MAY NEED TO BE MODIFIED.
- 2. FOOTPRINT OF C1 IS SHOWN FOR REFERENCE.
- 3. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



UNLESS OTHERWISE SPECIFIED	INITIALS		DATE		¬ ъ σ • •	. ~:		• 4 (R)				
DIMENSIONS ARE IN INCHES	DRAWN	NP	08/06/21	1 L	Mini-Circuits®					13 Neptune Avenue		
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	GF	08/06/21	Brooklyn Ni						. NI 114	ะงง	
3 PL DECIMALS ± ANGLES ±	APPROVED	DF	08/06/21	]								
FRACTIONS ±				PL, GU1414-4, TB-TCBT-2						203	}+	
☐ Mini−Circuits ®					]							
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE				SIZE A	code ident 15542	DRAWING NO		-PL-71	5	REV:	OR	
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.  ASHEETA1.DWG REV:A DATE:01/12/95					98PL715	SCALE:	9:1	SHEET:	1	OF	1	