

MC1630

Outline Dimensions

PCB Land Pattern





Suggested Layout, Tolerance to be within ±.002

CASE #.	A	В	С	D	Е	F	G	Н	J	K	L	M	N	P
MC1630	.079	.079	.031	.047	.024	.010	.014	.026	.008	.002	.106	.049	.026	.031
	(2.00)	(2.00)	(.80)	(1.20)	(.60)	(.25)	(.35)	(.65)	(.20)	(.05)	(2.70)	(1.25)	(.65)	(.80)

CASE #.	Q	R	WT, GRAM
MC1630	.012 (.30)	.012 (.30)	.006

Dimensions are in inches (mm). Tolerances: 2 Pl. \pm .01; 3 Pl. \pm .005

Notes:

- 1. Case material: Plastic.
- 2. Termination finish:

For RoHS Case Styles: Matte Tin plate. All models, (+) suffix.

3. Lead #1 identifier shall be located in the cross-hatched area shown. Identifier may be either a molded or marked feature.





P.O. Box 350166, Brooklyn, New York 11235-0003 (718) 934-4500 Fax (718) 332-4661 For detailed performance specs & shopping online see Mini-Circuits web site

The Design Engineers Search Engine Provides ACTUAL Data Instantly From MINI-CIRCUITS At: www.minicircuits.com

RF/IF MICROWAVE COMPONENTS